

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20060039004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:17
L2	1	11/286948	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:17
L3	11956	(measur\$3 detect\$3) with (shap\$3 near4 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:18
L4	1667	(measur\$3 detect\$3) with (((three near dimension \$3) 3D) near4 (shap\$3 near4 object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:19
L5	434	4 and (((("356"/\$.ccls. or "435"/\$.ccls.) or "382"/\$. ccls.) or "250"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:19
L6	299	5 and @PD<"20051108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:21
L7	0	6 and stor\$5 near7 ((design and specif\$3) near5 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:23
L8	0	6 and stor\$5 near7 ((design and specif\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:23
L9	0	6 and stor\$5 near7 ((design and specif\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:23

L10	0	6 and stor\$5 near7 ((design and speci\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L11	201	6 and stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L12	49	6 and stor\$5 and ((design and speci\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L13	44	6 and stor\$5 and ((design and speci\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L14	9	13 and toleran\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L15	8	13 and interferen\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:24
L16	15	14 or 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:25
L17	338	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) arrang \$5 and design\$3 and specif \$5 and predetermin\$4 and range and interferen\$3 and obscure\$3 and toleran \$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:29

L18	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and predetermin\$4 and range and interferen\$3 and obscure\$3 and toleran\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:29
L19	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and predetermin\$4 and range and interferen\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:29
L20	39	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:29
L21	38	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:30
L22	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface and noncontact\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:30
L23	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface and noncontact).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:31
L24	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface and fit\$1 near storage).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:31

L25	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface and first near storage).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:31
L26	0	((three near dimensional 3d) and (measur\$5 detect \$3) and shap\$3 and object and (store storage) and arrang\$5 and design\$3 and specif\$5 and surface and unmeasur\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:32
S1	0	2006/0039004	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:26
S2	2	"20060039004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:26
S3	1	11/241726	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:38
S4	413	(measur\$3 detect\$3) with (vulnerable near plaque)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:51
S5	16	(measur\$3 detect\$3) with ((vulnerable near plaque) near3 lumen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:52
S6	21	(measur\$3 detect\$3) with ((vulnerable near plaque) near5 lumen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:52
S7	9	(measur\$3 detect\$3) with (intraluminal near wall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:52

S8	273	(measur\$3 detect\$3) with (intraluminal )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:52
S9	21	(measur\$3 detect\$3) with (vulnerable near5 lumen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:53
S10	21	S5 or S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:53
S11	672	S4 or S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:54
S12	11	S11 and "356"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:54
S13	213	S11 and "600"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:55
S14	50	S11 and "604"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:55
S15	221	((S12 or S12) or S13)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:55
S16	2	S15 and probe and optical near waveguide and spectroscopic and interference near2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:56
S17	2	S11 and probe and optical near waveguide and spectroscopic and interference near2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:58

S18	5	S11 and probe and (plurality (first and second and third and fourth)) near2 (waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 22:59
S19	0	((((measur\$3 detect\$3) with (vulnerable near plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity and optical near source and scan\$4 and wavelengths).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:03
S20	0	((((measur\$3 detect\$3) and (vulnerable near plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity and optical near source and scan\$4 and wavelengths).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:03
S21	0	((((measur\$3 detect\$3) and (vulnerable near plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity and optical near source and scanned and wavelengths).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:04
S22	0	((((measur\$3 detect\$3) and (vulnerable and plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity and optical near source and scanned and wavelengths).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:04

S23	1	((((measur\$3 detect\$3) and (vulnerable and plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:05
S24	1	((((measur\$3 detect\$3) and (vulnerable and plaque)) and lumen and intraluminal and probe and optical near waveguide and interferometer and imag\$3 and spectroscopic and intensity and optical near source).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:05
S25	0	((((measur\$3 detect\$3) and (vulnerable and plaque)) and lumen and intraluminal and probe and (first and second and third and fourth) near2 waveguide and variable near delay near coupler and detector).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:07
S26	1	((((measur\$3 detect\$3) and (vulnerable and plaque)) and lumen and intraluminal and probe and (first and second and third and fourth) near2 waveguide and variable near delay near coupler and detector).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 23:07
S27	1	11/268948 and measur\$4 near3 part	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:17
S28	4	"1736731"	EPO; DERWENT	OR	ON	2008/05/12 15:30
S29	12	KUBO near AKIRA	EPO; DERWENT	OR	ON	2008/05/12 15:31
S30	1	HORITA near SHINICHI	EPO; DERWENT	OR	ON	2008/05/12 15:32

S31	279	KUBO near AKIRA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:32
S32	16	HORI TA near SHINICHI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:32
S33	118	ABE near YOSHIHISA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:32
S34	404	((S31 or S32) or S33)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:33
S35	35	S34 and (measur\$4 detect \$3) with ((three near dimensional) 3-D)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/12 15:34

11/ 3/ 08 4:32:53 PM

C:\Documents and Settings\nguyen6\My Documents\EAST\Workspaces\11268948.wsp